

Supplement Table 1. Sequences of primers that were used in the study

Sequences	
TNF- α F	CAGGCGGTGCCTATGTCTCA
TNF- α R	GCTCCTCCACTTGGTGGTTT
IL-6 F	TACCACTTACAAGTCGGAGGC
IL-6 R	CTGCAAGTGCATCATCGTTGTTC
CCL2 F	TGGGTCCAGACATACATT
CCL2 R	TACGGGTCAACTTCACAT
Cyclin B1 F	TTTGGTTGATAATCCCTC
Cyclin B1 R	CCCATCATCTGCGTCTA
CXCL2 F	CATCCAGAGCTTGAGTGTGACG
CXCL2 R	GGCTTCAGGGTCAAGGCAAAC
PCNA F	TAAAGAAGAGGAGGCGGTAA
PCNA R	AAGTGTCCTCATGTCAGCAAT
GAPDH F	TGTGTCCGTCGTGGATCTGA
GAPDH R	CCTGCTTCAACCCTTCTTGA

TNF, tumor necrosis factor; IL, interleukin; CCL2, chemokine ligand 2; CXCL2, C-X-C motif ligand 2; PCNA, proliferating cell nuclear antigen; GAPDH, glyceraldehyde-3-phosphate dehydrogenase.